



6859 Renoir Avenue
Baton Rouge, LA 70806

Tel: (225) 924-3221
Fax: (225) 927-2918

LEWCO – SIL High Temperature Silica Fabric

Product Specifications

LEWCO Style 1800 LT-P and 3600 LT-P are made of 70-75% pure continuous filament amorphous silica material. The intended use for these products is in all high temperature applications where the need for thermal insulation and/or protection is required. Offers excellent protection against heavy sparks, spatters, and molten slag.

Typical Properties

	<u>1800-LT-P</u>	<u>3600 LT-P</u>
Color	Beige	Beige
Weight (Oz./Sq. Yd.)	18.0 = 600 gm/m ²	32-33 = 1000 gm/m ²
Thickness	.030"	.050"
Weave	8-H Satin	12-H Satin
Silica Content	70-75%	70-75%
Steady Use Temperature	1500 ° F	1500 ° F
Melt Point	2500 ° F	2500 ° F
Width	36"	36"

This information is given in good faith and is believed to be accurate. It is intended for use by persons skilled in the art of fabrication and applying removable/reusable insulation or like products, as well as those working with welding curtains and fire blankets. All liabilities are borne by the user of this fabric. LEWCO does not take any responsibility for misuse of this product. LEWCO recommends testing before use.

SLEWCOSILP-050219MH