



# SAFETY DATA SHEET

Specialty Products, Inc.

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** LEWCO TCFT 18 & 21  
**Product Use Description:** PTFE/Teflon Impregnated Fiberglass Thread  
**Manufacturer/Distributor:** Lewco Specialty Products, Inc.  
6859 Renoir Avenue  
Baton Rouge, LA 70806  
**Telephone:** (800) 221-6414 TX & AR (800) 233-9755  
(225) 924-3221 Fax (225) 927-2918  
**Emergency Telephone:** Not available

## 2. HAZARDS IDENTIFICATION

### GHS hazard classification

Health hazards: Respiratory or skin sensitization, 1 Skin  
Physical hazards: Not classified  
Environmental: Not classified

### GHS lab elements

Signal words: Not classified  
Hazard statements: H317, May cause an allergic skin reaction  
H335, May cause respiratory irritation  
Hazard pictograms/symbols: Not applicable

### Precautionary statements

(Prevention): P264, Wash...thoroughly after handling.  
(Response): P302 + P352, IF ON SKIN-Wash with plenty of soap and water.  
P304 + P340, IF INHALED-Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312, Call a POISON CENTER or doctor/physician if you feel unwell.  
P321, Specific treatment (see supplemental first aid on this label).  
P332+313, If skin irritation occurs-Get medical advice/attention.  
P370+378, In case of fire: Use dry chemical, dry sand, carbon dioxide or alcohol-resistant foam to extinguish.  
(Storage): Not applicable  
(Disposal): P501, Dispose of contents/container in accordance with local regulation.

**Description of any hazards not otherwise classified:** Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS number	% by weight
Fiberglass fiber	65997-17-3	85 - 90
PTFE	9002-84-0	13 - 16

(See Section 8 for Exposure Limits)

## 4. FIRST AID MEASURES

<b>Inhalation:</b>	Move individual to fresh air. Drink water to clear throat and blow nose to remove fibers. Seek medical attention if irritation persists.
<b>Skin Contact:</b>	Wash with mild soap and running water: use a washcloth to help remove dust and fibers. To avoid further irritation do not rub or scratch irritated areas. Rubbing or scratching may force fibers into the skin. Seek medical attention if irritation persists.
<b>Eye Contact:</b>	Flush eyes with flowing water for at least 15 minutes. Seek medical attention if irritation persists.
<b>Ingestion:</b>	Drink extra water to assist natural elimination. Seek medical attention if gastrointestinal irritation persists or other symptoms such as nausea, vomiting, or abdominal pain occur.
<b>Most important symptoms/effects-acute or delayed:</b>	Irritation of dusts and fibers may result in inflammation of the upper respiratory tract (mouth, nose and throat), and itch and temporary mechanical irritation on skin.
<b>Immediate medical care and special treatment needed:</b>	Indication for physician: No specific medical precaution necessary.

## 5. FIRE FIGHTING MEASURES

<b>Suitable extinguishing equipment:</b>	Water, foam, carbon dioxide (CO <sub>2</sub> ), dry chemical, sand
<b>Flammable Properties:</b>	<u>PTFE</u> : Flash point, not applicable; Ignition temperature, 986-1,022 °F (ASTM D 1929); Auto-ignition temperature, 968-1,040 °F (ASTM D 1929)
<b>Specific hazards:</b>	Fiberglass are not flammable and incombustible and don't support combustion. When exposed to temperature above 752 °F, hazardous thermal decomposition products of PTFE might be acid fluorides, fluorinated compounds, hydrogen fluoride, and carbon monoxide.
<b>Special protective equipment or precautions for firefighters:</b>	Use personal protective equipment. Wear self-contained breathing apparatus (SCBA) for firefighting to avoid inhalation of smoke.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions and protective equipment:</b>	Wear suitable protective clothing, gloves and eye/face protection. Just in case of dusty environment avoid contact with the skin and the eyes.
<b>Emergency procedures:</b>	Evacuate personnel to safe areas. Provide sufficient ventilation.
<b>Environmental precautions:</b>	Glass fiber and PTFE products are ecologically harmless.
<b>Cleanup procedures:</b>	Vacuum clean, sweep or shovel into containers normally used for glass waste. Dispose of in accordance with appropriate laws and regulations.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Use adequate safety equipment (gloves, glasses, dust mask) in order to minimize the possible risk of contact with skin, mucous membrane and eyes and decrease irritations and allergies.
<b>Storage:</b>	Keep in manufacturer bag and store in a good ventilated area. Avoid direct sun light.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

<b>Exposure Limits</b>	
Component:	Limit/set by

---

Fibrous Glass

OSHA: TLV-TWA, 15 mg/m<sup>3</sup> (total nuisance dust) and 5 mg/m<sup>3</sup> (respirable nuisance dust) NIOSH: REL/TWA-5 mg/m<sup>3</sup> (total glass dust), and 3f/cc (respirable fibers).

**Engineering controls**

Ventilation:

General dilution ventilation and/or local exhaust ventilation should be provided, as necessary to maintain exposures below TWA's limitation

**Personal protective Equipment**

Respiratory Protection:

A properly fitted NIOSH/MHSA approved disposable dust respirator (TC-21C-132) should be used when: the level of dust in the air exceeds permissible exposure limits; or if irritation occurs. Use respiratory protection in accordance with your company's respiratory protection program and OSHA regulations under CFR

Hand Protection:

Wear gloves when handling this product, and wash thoroughly with soap and water after handling materials.

Eye Protection:

Safety glasses, goggles or face shields should be worn whenever materials are being handled.

Protective Clothing:

Wear loose fitting, long sleeved shirt and long pants if irritation is experienced.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance (physical state, color, etc.):**

Solid, Tan thread/yarn

**Upper/lower flammability or explosive limits:**

Not available

**Odor:**

No odor

**Vapor pressure:**

Not available

**Odor threshold:**

Not available

**Vapor density:**

Not available

**pH:**

Not available

**Relative density Specific Gravity (H<sub>2</sub>O=1):**

2.6

**Melting point:**

716 °F (PTFE)

**Solubility(ies):**

Not soluble in water

**Initial boiling point and boiling range:**

Not available

**Flash point:**

Not available

**Evaporation rate:**

Not available

**Flammability (solid, gas):**

Not available

**Partition coefficient(n-octanol/water):**

Not available

**Auto-ignition temperature:**

Not available

**Decomposition temperature:**

Not available

**Viscosity:**

Not available

---

## 10. STABILITY AND REACTIVITY

**Chemical Stability:**

Product is stable under normal conditions of use

**Conditions to avoid:**

Not available

**Materials to avoid:**

Materials are not compatible with the basin phosphates, hydrofluoric acids, some oxides and hydroxides; especially at elevated temperatures

**Hazardous decomposition products:** If the material is heated, residual proprietary organic ingredients contained in this product may produce smoke and irritating fumes including carbon monoxide and carbon dioxide.

**Possibility of hazardous reactions/reactivity:** Not available

---

## 11. TOXICOLOGICAL INFORMATION

**Likely routes of exposure:** Textile glass fiber and PTFE products do not contain hazardous or toxic ingredients

**Chronic toxicity/effects from short- and long-term exposure:** Not available

**Acute toxicity:** Not available

**Carcinogens:** Not available

---

## 12. ECOLOGICAL INFORMATION

Textile glass fiber are made from mineral raw material and do not have essential organic substances. They are not biologically decomposable. Textile glass fiber is ecologically harmless.

---

## 13. DISPOSAL CONSIDERATIONS

### Waste Disposal Method

Dispose in accordance with federal, state, and local regulations as a solid non-hazardous waste.

---

## 14. TRANSPORT INFORMATION

Textile glass fiber are not materials in sense of hazardous material. Therefore there are no special measures necessary for the transportation and labeling by land, sea or air. Transport in closed vehicles in original packaging to protect from humidity.

---

## 15. REGULATORY INFORMATION

EPA, RCRA 40 CFR, Part 261, 1990: Non-hazardous  
CERCLA: Not listed  
SARA Title III: Exempt by definition  
PA Right-to-Know: Less than reportable quantity  
TSCA Inventory: Exempt per section 8(a), 710.2(f), and 704.5(a)  
CA Proposition 65: Insignificant trace quantity  
MA Right-to-Know: Less than reportable quantity  
NJ Right-to-Know: Less than reportable quantity

---

## 16. OTHER INFORMATION

Prepared by: Peter Zhou  
Issue date: 11/25/2015

### Disclaimer:

Lewco Specialty Products, Inc. makes no warranty of any kind regarding the accuracy or completeness of the information contained herein. Users should independently determine the suitability and completeness of information from all sources for their particular purpose (s). While this data is presented in good faith and believed to be accurate, it should be considered only as a supplement to other information gathered by the user. It is the User's responsibility to assure the proper use and disposal of these materials as well as the safety and health of all personnel who may work with or otherwise come in contact with these materials.